


PROLINE

PROSECURE *fibretec 2.0*

ONE FLOOR COVERING SUPPORT.
NO COMPROMISES.



PROSECURE *fibretec* 2.0

The PROSECURE *fibretec* 2.0 reinforcement and decoupling mat provides reliable protection for all surface layers. It is the perfect partner for large-format tiles and natural stone, multi-layered and solid parquet or after direct spatula levelling for carpet, PVC and vinyl design flooring.

PROSECURE *fibretec* 2.0 guarantees

- secure composition between surface layer and substrate
- compensation for deforming forces and thermal stress
- continuous and reliable protection for all surface layers

Your advantage in covering protection



Bond strength: 1.2 N/mm²

Creates an extremely strong layered composite between the substrate and covering



Point loading: 13.09 kN on 4 cm²

Guides forces acting from above reliably into the substrate and prevents crack formation



Crack bridging: 13.8 kN

Absorbs stress and bridges cracks up to a width of 0.5 mm



Bending strength: max. bend tolerance of 1.8 mm at 400,000 cycles (test setup)

Compensates static and dynamic deformation forces in concave and convex directions



Material thickness: 1.5 mm

Is the ideal floor covering support for restoring old buildings thanks to the minimal installation height

You will find detailed test reports for all tests conducted by the accredited materials testing authority at www.proline-systems.com.

Technical data

- **Roll width:** 1 m
- **Length:** 10 m/25 m
- **Material:** fibreglass reinforcement with fibreglass fleece underneath
- **Tensile strength:** > 4000 N/5 cm
- **Temperature resistance:** –40 °C to 80 °C

Installation tips for professionals



Scan and get started:

Our installation video shows useful tips and tricks for processing the PROSECUREfibretec 2.0.



PROSECURE *fibretec 2.0*

THE PROBLEM SOLVER FOR ANY SURFACE LAYER

- **Ideal for large-format tiles and other covering materials**
- **Easy to install, does not require much adhesive, which reduces material costs**
- **For reliable protection and years of customer satisfaction**



Proline Systems GmbH

Kratzenburger Landstr. 11-15

56154 Boppard – Germany

Phone +49 6742/8016-0

E-Mail info@proline-systems.com

Internet www.proline-systems.com